


BE - Geometry I | TUESDAY 11-30-10

① Find  $b$  to the nearest tenth



---

CAUTION: this is NOT a Right  $\triangle$

$$m\angle C = ?$$

$$C = 75^\circ$$


---

Sorry You can't solve this... yet!

Stay tuned.

1  
Homework Review Pg 608 # 62-67

62




$$A = \frac{1}{2}(4)(7)\sin 29^\circ$$

$$= 14(.4848)$$

$$= 6.7872$$

$$A = 6.79 \text{ in}^2 \quad \text{NEAREST hundredth}$$

63




$$A = \frac{1}{2}(4)(5)\sin 37^\circ$$

$$= 10(.6018) = 6.02 \text{ cm}^2$$

NEAREST .01

64




$$A = \frac{1}{2}(1.9)(2.3)\sin 25^\circ$$

$$= (1.9)(1.15)(.4226)$$

$$= 0.9234$$


$$A = 0.92 \text{ ft}^2 \quad \text{NEAREST .01}$$

65




$$A = 17(22)$$

$$A = 374 \text{ cm}^2$$



$$\sin 60^\circ = \frac{h}{10}$$



$$10 \left( \frac{\sqrt{3}}{2} \right) = h$$

$$5\sqrt{3} = h$$


$$\therefore A = 15(5\sqrt{3})$$

$$A = 75\sqrt{3} \quad \square$$

$$A = 75(1.7321)$$

$$A = 129.908$$

$$\boxed{A = 129.9 \text{ in}^2} \quad \text{Nearest tenth}$$



$$A_1 = 6 \cdot 16 = 96 \text{ ft}^2$$


$$A_2 = 15 \cdot 9 = \underline{135 \text{ ft}^2}$$

$$\boxed{\text{TOTAL } A = 231 \text{ ft}^2}$$

REGULAR  
POLYGON

A POLYGON IN WHICH ALL  
the sides and angles  
ARE CONGRUENT

(EX)




EQUILATERAL SQUARE  
triangle

LETS EXTEND THE  $A_{\Delta} = \frac{1}{2} ab \sin C$   
 $= \frac{1}{2} ac \sin B$   
 $= \frac{1}{2} bc \sin A$

to A new and very powerful tool.

Recall:



$$A = \frac{1}{2} bc \sin A = \frac{1}{2} ac \sin B = \frac{1}{2} ab \sin C$$

$$\frac{\frac{1}{2}bc \sin A}{\frac{1}{2}abc} = \frac{\frac{1}{2}ac \sin B}{\frac{1}{2}abc} = \frac{\frac{1}{2}ab \sin C}{\frac{1}{2}abc}$$

by  
 $\frac{1}{2}abc$

\* 
$$\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$$

SIN OF ANGLE  
opp. side  
length

LAW OF SINES

- ! USE TO SOLVE ANY  $\Delta$ , NOT JUST RIGHT  $\Delta$
- ! USE IF YOU KNOW ASA or AAS  
(ANY 2 ANGLES AND 1 SIDE)

CASE 1 pg 380  
ignore CASE 2

There is  
A better way!

The EQUATIONS you will use:

$$\frac{\sin A}{a} = \frac{\sin B}{b}$$

$$\frac{\sin B}{b} = \frac{\sin C}{c}$$

$$\frac{\sin A}{a} = \frac{\sin C}{c}$$


NOTE:

You can also use  $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

EX1 Find  $b$ , Nearest .1

pg 378

(A)



$$\frac{\sin 37}{3} = \frac{\sin 68}{b}$$

$$b \cdot \frac{\sin 37}{3} = \frac{\sin 68}{b} \cdot b$$

$$\left(\frac{3}{\sin 37}\right) \cdot \frac{b \sin 37}{3} = \sin 68 \left(\frac{3}{\sin 37}\right)$$

$$b = \sin 68 \cdot \frac{3}{\sin 37}$$

$$b = (.9272) \cdot \frac{3}{(.6018)}$$


$$b = 4.6221$$

$$b \approx 4.6$$

CAN you go  
to  
here  
USING  
MENTAL  
MATH?  
USING  
PRODUCTS?



⑥ Find  $m\angle Z$  to nearest degree in  $\triangle XYZ$  if  $y=17, z=14, m\angle Y=92$



$$\frac{\sin 92}{17} = \frac{\sin Z}{14}$$

$$14 \cdot \frac{\sin 92}{17} = \sin Z$$

$$14 \cdot (\sin 88) = \sin Z$$

$y=92^\circ$   
 $y'=88^\circ$

$$.8224 = \frac{14 (.9986)}{17} = \sin Z$$


$$\therefore \boxed{\sin^{-1}(.8224) = 55^\circ}$$

$$\begin{cases} \sin 56 = .8290 \\ \sin 55 = .8192 \end{cases}$$

SOLVING A TRIANGLE      FINDING ALL 3 SIDES AND ALL 3 ANGLES.

EX 2  
PS 378  
①

SOLVE  $\triangle ABC$  if  $m\angle A = 33^\circ$ ,  
 $m\angle B = 47^\circ$ ,  $b = 14$ , to nearest .1



$$m\angle C \Rightarrow 180 - (47 + 33) = \boxed{100^\circ = m\angle C}$$

$$\frac{\sin 47}{14} = \frac{\sin 33}{a} \quad \therefore a \sin 47 = 14 \sin 33$$

$$a = 14 \left( \frac{\sin 33}{\sin 47} \right)$$

$$a = 14 \left( \frac{.5446}{.7314} \right) \quad \boxed{\equiv}$$

$$\boxed{a = 10.424 = 10.4}$$

$$\frac{\sin 47}{14} = \frac{\sin 100}{c} \quad \therefore c \sin 47 = 14 \sin 100$$

$$c = 14 \left( \frac{\sin 100}{\sin 47} \right)$$

$$\sin 100 = \sin 80^\circ$$

$$c = 14 \left( \frac{.9848}{.7314} \right) \quad \boxed{\equiv}$$

$$\boxed{c = 18.85 = 18.9}$$



Summary:

$$\text{Law of Sines } \frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$$

---

Use FOR ANY TRIANGLE, will  
use for  $\Delta$ 's that are NOT  
Right  $\Delta$ 's if you know  
two angles AND a side  
ASA, AAS.

---

Homework: Pg 380 # 5 to 8.

Ch. 7-6 The Law of Sines