

Algebra I BE TUESDAY 1-5-10

Simplify:

① $\frac{237}{3}$

② $\frac{576}{9}$

* From 2008/2009 ACT Practice Test:

* ③ Find the slope of the line through $(-5, 2), (6, 7)$

* ④ Solve: $3(x+2) > 4(x-3)$

• FRESH START

• supplies/on time

• prompt redos

• NEAT, labeled, properly shown work

Divisibility Rule for 3 and 9

You ALREADY know the
divisibility rule for 2, 5, AND 10...

$\div$ by	if
-----------	----

2 last digit is even which
means it ends in 0, 2, 4, 6, 8

5 last digit is 0 or 5

10 last digit is 0

3 sum (add) of all the digits
is $\div$ by 3

(Ex) $\underset{12}{237} \Rightarrow$ sum is 12 which is $\div$ by 3
so 237 is $\div$ by 3

9 sum of all the digits is $\div$ by 9

(Ex) $\underset{18}{576} \Rightarrow$ sum is 18 which is $\div$ by 9
so 576 is $\div$ by 9

RECALL $\Rightarrow$ Ch. 8-1 & 8-2

$\Rightarrow$ multiplying & dividing monomials

$\Rightarrow$ tool: the 6
EXPONENT RULES

- A number,
- A variable,
- the product of a number and one or more variables

① MR $a^N \cdot a^m = a^{N+m}$

② DR $\frac{a^N}{a^m} = a^{N-m}$

③ $\hookrightarrow \frac{a^m}{a^m} = 1 = a^{m-m} = a^0 \therefore a^0 = 1$ ZER

④ $\hookrightarrow a^{-N} = \frac{1}{a^N}$ or $\frac{1}{a^{-N}} = a^N$ NER

⑤ PPR $(a^N)^m = a^{N \cdot m}$

⑥ GPR $(ab)^N = a^N b^N$ or $\left(\frac{a}{b}\right)^N = \frac{a^N}{b^N}$

⑦ EX $\left(\frac{6k^3}{7np^4}\right)^2 = \frac{36k^6}{49n^2p^8}$

⑧ EX $5^{-2} = \frac{1}{25}$

Recall $\Rightarrow$ Ch. 8-3, Polynomials

$\downarrow$
ONE or more monomials
being added or
subtracted

Degree of
A Monomial $\Rightarrow$ SUM OF THE EXPONENTS
OF ITS VARIABLES

Degree of a
Polynomial $\Rightarrow$ the degree of the
highest degree monomial
in the polynomial

Polynomials are normally ordered in
descending order by degree:

Ⓔ $5x^3 - 2x^2 + x - 3$

$\uparrow$ $\uparrow$ $\uparrow$ $\uparrow$

degree 3 degree 2 degree 1 degree 0

Linear Equations ($y = mx + b$) are 1st degree polynomials

$\uparrow$ $\uparrow$

CONSTANT COEFFICIENT

You already know How TO Add
And subtract polynomials $\Rightarrow$
Combine like terms

- same variable
- variables have same exponent

$$x^3 + x^3 = 2x^3$$

$$x^3 + x^2 = x^3 + x^2$$

A +1 in front of a polynomial in parentheses is a "get out of parentheses jail free" card. A -1 must be distributed.

(EX) $(2x^3 + 3x + 1) - (x^3 - 2x - 4)$

$+1(2x^3 + 3x + 1) - 1(x^3 - 2x - 4)$

$$\underline{2x^3} + 3x + 1 \quad \underline{-x^3} + 2x + 4$$

$$\boxed{x^3 + 5x + 5}$$

Your turn:

$$(3ax^2 - 5x - 3a) - (6a - 8a^2x + 4x)$$

$$\underline{\underline{3ax^2}} - \check{5x} - 3a - 6a + \underline{\underline{8a^2x}} - \check{4x}$$

$$\boxed{3ax^2 + 8a^2x - 9x - 9a}$$

✓ Ch-8-5 Adding and Subtracting Polynomials

Ch 8-6 Multiplying A Polynomial by a Monomial

ⓔ $-2x^2(3x^2 - 7x + 10)$ use DP arrows
AND MR for
EXponents

$$-2x^2(3x^2 - 7x + 10)$$

$$\boxed{-6x^4 + 14x^3 - 20x^2}$$

Simplify
(Ex)

6

$$4(3d^2 + 5d) - d(d^2 - 7d + 12)$$

$$4(3d^2 + 5d) - d(d^2 - 7d + 12)$$

$$\underline{12d^2} + \underline{20d} - d^3 + \underline{7d^2} - \underline{12d}$$

$$19d^2 + 8d - d^3$$

$$\boxed{-d^3 + 19d^2 + 8d}$$

descending order
by degree

-
- Pg 441 # 12-22 evens
30
 - Pg 446-448 # 15, # 22, # 26, # 34
38, # 62